Red Grandis ¹


 $Sustainable\ forests$

FAS / 1F

URUFOR FAS / 1F grade, similar to FAS/1F under NHLA grading rules, will provide the user with long clear cuttings bestsuited for high quality furniture, interior joinery, windows, doors, kitchen cabinets and solid wood mouldings. The FAS / 1F grade includes a range of boards that yield from 83% to 100% clear-wood cuttings over the entire surface of the board. The clear cuttings must be a minimum size of 76mm wide by 2100mm long or 102mm wide by 1500mm long.

FAS / 1F grade allows up to 40% of "Fas one face" F / 1F. Front face must meet all FAS / 1F requirements while the back face must yield 67% (similar to our "#1CW" grade requirements).

Kiln Dry MC: 10-12%.



Dillicipatoria.

Thicknesses: 20mm / 25.4mm / 28mm / 31.8mm / 38.1mm / 50.8mm

Widths: 152mm and wider. Average: about 203mm

Lengths: From 2500mm to 4900mm, average length about 4000mm

